


# 3000 Series Audiophones

Intercom Audiophones



STANDARD  
4+1 AUDIO



Art.	3101	3102	3111	3112
<b>CONNECTION</b>	STANDARD 4+1 AUDIO	STANDARD 4+1 AUDIO	STANDARD 4+1 AUDIO	STANDARD 4+1 AUDIO
<b>SERIES</b>	3000 Series (full base audiophone)			
<b>CALL</b>	AC buzzer and Electronic Call Tone	AC buzzer and Electronic Call Tone	Electronic Call Tone	Electronic Call Tone
<b>BUTTONS</b>	2: Door open and service button	2: Door open and service button	2: Door open and service button	2: Door open and service button
<b>PRIVACY FACILITY</b>	No	Yes: 1x mute switch (AC buzzer call only)	No	Yes: 1x mute switch (Call tone only)
<b>LED'S</b>	N/A	N/A	N/A	N/A
<b>CONTROLS</b>	Call tone volume (3 levels)	Call tone volume (3 levels)	Call tone volume (3 levels)	Call tone volume (3 levels)
<b>MOUNTING</b>	Surface (ABS shockproof plastic housing), dimensions (mm): 85 (W) x 218 (L) x 55 (D)			
<b>SYSTEM COMPATIBILITY</b>	4K series, 8K series, VR4K series, VR120DK series audiokits. Can also be used on traditional 4+1 audio and video systems that require an AC buzzer call.	4K series, 8K series, VR4K series, VR120DK series audiokits. Can also be used on traditional 4+1 audio and video systems that require an AC buzzer call.	4K series, 8K series, VR4K series, VR120DK series audiokits.	4K series, 8K series, VR4K series, VR120DK series audiokits.
<b>ACCESSORIES</b>	Compatible with the 3038 desk kit			

# 3000 Series Audiophones

Intercom Audiophones



**INTERCOM.**



**STANDARD  
4+1 AUDIO**



Art.	3102/G	3113	3114	3117
<b>CONNECTION</b>	STANDARD 4+1 AUDIO	STANDARD 4+1 AUDIO	STANDARD 4+1 AUDIO	STANDARD 4+1 AUDIO & INTERCOMMUNICATING
<b>SERIES</b>	3000 Series (full base audiophone)			
<b>CALL</b>	AC buzzer and Electronic Call Tone	Electronic Call Tone	Electronic Call Tone	Electronic Call Tone
<b>BUTTONS</b>	2: Door open and service button	2: Door open and service button	2: Door open and service button	5: 1x Door open and 4x service buttons
<b>PRIVACY FACILITY</b>	No	Yes: 1x privacy switch (Call tone only)	Yes: 1x privacy switch (Call tone only)	No
<b>LED'S</b>	N/A	Yes: 1x privacy on LED	Yes: 1x privacy on LED, 1x door open LED	N/A
<b>CONTROLS</b>	Call tone volume (3 levels), 1x hold open switch	Call tone volume (3 levels)	Call tone volume (3 levels)	Call tone volume (3 levels)
<b>MOUNTING</b>	Surface (ABS shockproof plastic housing), dimensions (mm): 85 (W) x 218 (L) x 55 (D)			
<b>SYSTEM COMPATIBILITY</b>	4K series, 8K series, VR4K series, VR120DK series audiokits. Can also be used on traditional 4+1 audio and video systems that require an AC buzzer call.	4K series, 8K series, VR4K series, VR120DK series audiokits.	4K series, 8K series, VR4K series, VR120DK series audiokits.	4K series, 8K series, VR4K series, VR120DK series audiokits. Also used on 4 way intercommunicating systems with the Art.510N utilising the 4x service buttons.
<b>ACCESSORIES</b>	Compatible with the 3038 desk kit			

# 3000 Series Audiophones

Intercom Audiophones



SENTRY  
5+1 AUDIO



Art.	3121	3123	3125	3126
<b>CONNECTION</b>	SENTRY 5+1 AUDIO	SENTRY 5+1 AUDIO	SENTRY 5+1 AUDIO	SENTRY 5+1 AUDIO
<b>SERIES</b>	3000 Series (full base audiophone)			
<b>CALL</b>	Electronic Call Tone	Electronic Call Tone	Electronic Call Tone	Electronic Call Tone
<b>BUTTONS</b>	2: Door open and service button	2: Door open and service button	2: Door open and privacy button	2: Door open and privacy button
<b>PRIVACY FACILITY</b>	No	Yes: 1x privacy switch (Call tone only)	Yes: 1x privacy button (Call tone only)	Yes: 1x privacy button (Call tone only, timed)
<b>LED'S</b>	N/A	Yes: 1x privacy on LED	Yes: 1x privacy on LED, 1x door open LED (additional connection required)	Yes: 1x privacy on LED, 1x door open LED (additional connection required)
<b>CONTROLS</b>	Call tone volume (3 levels)			
<b>MOUNTING</b>	Surface (ABS shockproof plastic housing), dimensions (mm): 85 (W) x 218 (L) x 55 (D)			
<b>SYSTEM COMPATIBILITY</b>	5+1 audio systems using the Art.4838 speaker where privacy of speech is required. Can also be used on all Sentry 5+1 audio systems.			
<b>ACCESSORIES</b>	Compatible with the 3038 desk kit			

# 3000 Series Audiophones

Intercom Audiophones



**VX2200  
AUDIO**



Art.	3171	3172	3176
<b>CONNECTION</b>	VX2200 2 WIRE BUS AUDIO	VX2200 2 WIRE BUS AUDIO	VX2200 2 WIRE BUS AUDIO
<b>SERIES</b>	3000 Series (full base audiophone)		
<b>CALL</b>	Electronic Call Tone	Electronic Call Tone	Electronic Call Tone
<b>BUTTONS</b>	2: Door open and service button	2: Door open and service button	2: Door open and privacy button
<b>PRIVACY FACILITY</b>	No	Yes: 1x privacy switch (Call tone only)	Yes: 1x privacy button (Call tone only)
<b>LED'S</b>	N/A	N/A	Yes: 1x privacy on LED, 1x door open LED (additional connection required)
<b>CONTROLS</b>	Call tone volume (3 levels), No. of rings 3 or 6 via JP4 jumper, Phone ID addressing via internal 8 way dip-switch (SW1).	Call tone volume (3 levels), No. of rings 3 or 6 via JP4 jumper, Phone ID addressing via internal 8 way dip-switch (SW1).	Call tone volume (3 levels), No. of rings 3 or 6 via JP4 jumper, Phone ID addressing via internal 8 way dip-switch (SW1), Privacy adjustment via internal 3 way dip-switch (SW2).
<b>MOUNTING</b>	Surface (ABS shockproof plastic housing), dimensions (mm): 85 (W) x 218 (L) x 55 (D)		
<b>SYSTEM COMPATIBILITY</b>	VX2200 digital audio and video system.		
<b>ACCESSORIES</b>	Compatible with the 3038 desk kit		

# 3000 Series Audiophones

Intercom Audiophones



**INTERCOM.**



**VX2300  
AUDIO**



Art.	3181	3183
<b>CONNECTION</b>	VX2300 2 WIRE BUS	VX2300 2 WIRE BUS
<b>SERIES</b>	3000 Series (full base audiophone)	
<b>CALL</b>	Electronic Call Tone	Electronic Call Tone
<b>BUTTONS</b>	2: Door open/intercommunicating call button and BUS relay (Art.2305) activation button	2: Door open/intercommunicating call button and BUS relay (Art.2305) activation button
<b>PRIVACY FACILITY</b>	Yes: 1x privacy switch (Call tone only)	No
<b>LED'S</b>	Yes: 1x privacy on LED, 1x door open LED (additional connection required)	N/A
<b>CONTROLS</b>	Call tone volume (3 levels), Phone ID addressing via internal 8 way dip-switch (SW1), Privacy adjustment via internal 3 way dip-switch (SW2), Intercommunicating addressing via internal 3 way dip-switch (SW3).	Call tone volume (3 levels), Phone ID addressing via internal 8 way dip-switch (SW1), Intercommunicating addressing via internal 3 way dip-switch (SW3).
<b>MOUNTING</b>	Surface (ABS shockproof plastic housing), dimensions (mm): 85 (W) x 218 (L) x 55 (D)	
<b>SYSTEM COMPATIBILITY</b>	VX2300 digital audio and video system.	
<b>ACCESSORIES</b>	Compatible with the 3038 desk kit	